



FAG NJ420-M1 + HJ420参数

尺寸	d	100	mm	-	
	D	250	mm	-	
	B	58	mm	-	
	B <sub>1</sub>	16	mm	-	
	B <sub>2</sub>	27	mm	-	
	D <sub>1</sub>	198.2	mm	-	
	D <sub>a max</sub>	230	mm	-	
	d <sub>1</sub>	152.8	mm	-	
	d <sub>a max</sub>	137	mm	-	
	d <sub>a min</sub>	120	mm	-	
	d <sub>c min</sub>	156	mm	-	
	E	211	mm	-	
	F	139	mm	-	
	r <sub>1 min</sub>	4	mm	-	
	r <sub>a max</sub>	3	mm	-	
	r <sub>al max</sub>	3	mm	-	
	r <sub>min</sub>	4	mm	-	
	s	5.7	mm	距离中心位置的轴向偏移	
	说明		HJ420		型号, L 型圈
	重量	m	16100	g	质量
m <sub>1</sub>		1550	g	质量, L 型圈	
基本额定载荷	C <sub>r</sub>	550000	N	基本额定动载荷, 径向	
	C <sub>0r</sub>	530000	N	基本额定静载荷, 径向	
极限转速	n <sub>G</sub>	4350	r/min	极限转速	
参考转速	n <sub>B</sub>	2950	r/min	参考速度	
疲劳极限载荷	C <sub>ur</sub>	86000	N	疲劳极限载荷, 径向	

FAG NJ420-M1 + HJ420图片



参考资料:<http://www.sozhou.com/p/2884a39a.html>

