

FAG NJ2236-E-M1 参数

| | | | | |
|--------|---------------------|---------|-------|-------------|
| 尺寸 | d | 180 | mm | - |
| | D | 320 | mm | - |
| | B | 86 | mm | - |
| | B ₁ | 12 | mm | - |
| | B ₂ | 24 | mm | - |
| | D ₁ | 280 | mm | - |
| | D _{a max} | 303 | mm | - |
| | d ₁ | 229 | mm | - |
| | d _{a max} | 214 | mm | - |
| | d _{a min} | 197 | mm | - |
| | d _{c min} | 233 | mm | - |
| | F | 215 | mm | - |
| | r _{1 min} | 4 | mm | - |
| | r _{a max} | 3 | mm | - |
| | r _{a1 max} | 3 | mm | - |
| | r _{min} | 4 | mm | - |
| | s | 7.2 | mm | 距离中心位置的轴向偏移 |
| 重量 | m | 31100 | g | 质量 |
| 基本额定载荷 | C _r | 1180000 | N | 基本额定动载荷，径向 |
| | C _{0r} | 1490000 | N | 基本额定静载荷，径向 |
| 极限转速 | n _G | 3200 | r/min | 极限转速 |
| 参考转速 | n _B | 1400 | r/min | 参考速度 |
| 疲劳极限载荷 | C _{ur} | 225000 | N | 疲劳极限载荷，径向 |

FAG NJ2236-E-M1 图片





参考资料:<http://www.sozhou.com/p/3d72aca9.html>