



FAG NJ418-M1 + HJ418参数

尺寸	$d_{c \min}$	139	mm	-
	E	191.5	mm	-
	F	123.5	mm	-
	$r_{l \min}$	4	mm	-
	$r_{a \max}$	3	mm	-
	$r_{al \max}$	3	mm	-
	r_{\min}	4	mm	-
	s	5	mm	距离中心位置的轴向偏移
说明		HJ418		型号, L 型圈
重量	m	11800	g	质量
	m_1	1100	g	质量, L 型圈
基本额定载荷	C_r	465000	N	基本额定动载荷, 径向
	C_{0r}	425000	N	基本额定静载荷, 径向
极限转速	n_G	4800	r/min	极限转速
参考转速	n_B	3500	r/min	参考速度
疲劳极限载荷	C_{ur}	73000	N	疲劳极限载荷, 径向
尺寸	d	90	mm	-
	D	225	mm	-
	B	54	mm	-
	B_1	14	mm	-
	B_2	24	mm	-
	D_1	179.7	mm	-
	$D_{a \max}$	205	mm	-
	d_1	136.8	mm	-
	$d_{a \max}$	122	mm	-
	$d_{a \min}$	110	mm	-

FAG NJ418-M1 + HJ418图片



参考资料:<http://www.sozhou.com/p/481ae52c.html>

