

### FAG 22312-E1-T41A参数

尺寸	d	60	mm	-
	D	130	mm	-
	B	46	mm	-
	D <sub>1</sub>	110.1	mm	-
	D <sub>a max</sub>	118	mm	-
	d <sub>2</sub>	74.8	mm	-
	d <sub>a min</sub>	72	mm	-
	d <sub>s</sub>	3.2	mm	-
	n <sub>s</sub>	6.5	mm	-
	r <sub>a max</sub>	2.1	mm	-
	r <sub>min</sub>	2.1	mm	-
	重量	m	2890	g
基本额定载荷	C <sub>r</sub>	310000	N	基本额定动载荷，径向
计算系数	e	0.35		-
	Y <sub>1</sub>	1.91		-
	Y <sub>2</sub>	2.85		-
基本额定载荷	C <sub>0r</sub>	310000	N	基本额定静载荷，径向
计算系数	Y <sub>0</sub>	1.87		-
极限转速	n <sub>G</sub>	5400	r/min	极限转速
参考转速	n <sub>B</sub>	4300	r/min	参考速度
疲劳极限载荷	C <sub>ur</sub>	28000	N	疲劳极限载荷，径向

### FAG 22312-E1-T41A图片



参考资料:<http://www.sozhou.com/p/a9b99cd2.html>