


FAG NJ244-E-M1 + HJ244-E参数

尺寸	d	220	mm	-	
	D	400	mm	-	
	B	65	mm	-	
	B ₁	15	mm	-	
	B ₂	25	mm	-	
	D ₁	344.9	mm	-	
	D _{a max}	383	mm	-	
	d ₁	285.2	mm	-	
	d _{a max}	265	mm	-	
	d _{a min}	237	mm	-	
	d _{c min}	288	mm	-	
	E	358	mm	-	
	F	268	mm	-	
	r _{1 min}	4	mm	-	
	r _{a max}	3	mm	-	
	r _{al max}	3	mm	-	
	r _{min}	4	mm	-	
	s	5.5	mm	距离中心位置的轴向偏移	
	说明		HJ244-E		型号, L 型圈
	重量	m	38700	g	质量
m ₁		3550	g	质量, L 型圈	
基本额定载荷	C _r	950000	N	基本额定动载荷, 径向	
	C _{0r}	1330000	N	基本额定静载荷, 径向	
极限转速	n _G	2600	r/min	极限转速	
参考转速	n _B	1400	r/min	参考速度	
疲劳极限载荷	C _{ur}	150000	N	疲劳极限载荷, 径向	

FAG NJ244-E-M1 + HJ244-E图片



参考资料:<http://www.sozhou.com/p/c02128bf.html>

