



FAG NJ412-M1 + HJ412参数

尺寸	d	60	mm	-	
	D	150	mm	-	
	B	35	mm	-	
	B ₁	10	mm	-	
	B ₂	16.5	mm	-	
	D ₁	119.5	mm	-	
	D _{a max}	136	mm	-	
	d ₁	91.6	mm	-	
	d _{a max}	82	mm	-	
	d _{a min}	74	mm	-	
	d _{c min}	94	mm	-	
	E	127	mm	-	
	F	83	mm	-	
	r _{1 min}	2.1	mm	-	
	r _{a max}	2	mm	-	
	r _{al max}	2	mm	-	
	r _{min}	2.1	mm	-	
	s	3.4	mm	距离中心位置的轴向偏移	
	说明		HJ412		型号, L 型圈
	重量	m	3470	g	质量
m ₁		347	g	质量, L 型圈	
基本额定载荷	C _r	211000	N	基本额定动载荷, 径向	
	C _{0r}	184000	N	基本额定静载荷, 径向	
极限转速	n _G	7500	r/min	极限转速	
参考转速	n _B	4800	r/min	参考速度	
疲劳极限载荷	C _{ur}	33000	N	疲劳极限载荷, 径向	

FAG NJ412-M1 + HJ412图片



参考资料:<http://www.sozhou.com/p/e4566b1a.html>

